

Baum Hydraulics Hose And Fittings

1

We offer all sizes of Balflex, Gates and CSI hydraulic hose. Every 2 reels of hose qualifies you for FREE FREIGHT!! (a few states require 3 reels)



We offer the following brands of hydraulic fittings:

- * CSI
- * Gates (megacrimp and global spiral)
- * WEATHERHEAD (U series, Z series and 4S fittings)

Gates PC707
Crimper with dies:
\$5500.00



ASK FOR QUANTITY DISCOUNT Prices subject to change without notice.

BAUM HYDRAULICS
CORPORATION

1-800-228-9222 / e-mail: sales@baumhydraulics.com
Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

INDEX

A

ADAPTERS:
 Chevron.....G15-G18
 Breather, BSPP, Flat Face.....N60-N132
 ID Chart, JIC Thread, Male Tip.....N67-N131
 O-Ring/Pipe Thread, Split Flange...N67-N131
 Power Take Off, Pump Drive.....S16-S17

ADJUSTABLE
 Dies:.....V10
 Pins:.....C7-D2

AGRICULTURAL
 Bearings:.....Q4-Q8,Q18-Q23

AIR CONDITIONER, Clutches:.....K16

ALLEN WRENCHES:.....A5

ALLOY
 Chain:.....D3
 Threaded Rod:.....A6

ALUMINUM BRONZ.....Q68-Q69

ALUMINUM GRINDING WHEELS.....V2-V3

AN WIPERS:.....G33

ASSORTMENT
 Boxes:.....A1
 Pin & Key.....A13

B

BABBITT, Metal:.....V3

BACK-UP
 Washers:.....G2-G6

BALL
 Bearings:.....Q2-R11
 Replacement (3-Point)/Sockets.....C1-C2
 Solid Steel/Trailer:.....E3
 Valves:.....H12

BANDSAW BLADES:.....V4-V6

BARs.....Q68-Q69

BASTARD FILES:.....V11

BEARINGS:
 Agricultural.....Q3-R11
 Cast/Powered Bronze, Disc, Flanged...Q9-Q71
 Timken/Fafnir.....Q4-Q16
 Metric, Nylon, Radial.....Q4-Q60

Rigid:
 Rod End, Schatz, Self-Aligning.....Q4-Q74
 Spherical, Triple Sealed.....Q7-Q18
 Sets, Thrust Roller.....R1-R11

BELTS:.....S44,T13-T19

BINDERS, Load:.....D3

BITS, Tool:.....V8

BLACKSMITH, Drills:.....V7

BLADES.....V4-V6,V11

BLOCKS:
 Flange, Pillow.....Q2-Q3,Q9-15,Q17,Q32

BOILER, Flange:.....N134

BOLT & NUT GAGE:.....A19

BRACKET, Foot Mount:.....K16

BREATHER:
 Adapter, Filters.....N60

BRITISH PIPE.....N53, N130-N132

BRONZE
 Bars:.....Q68-Q69
 Bore Sheaves:.....B1
 Weld-A-Joint.....P6
 Tension.....Q72

C

CAM FOLLOWERS,.....Q18

CANNED WIPERS:.....G31-G33

CAP SCREW:
 Flat/Socket Head.....A11-A12

CAPPLUGS:.....N64,N134

CAPS:
 Dust/Plastic.....N64,N134

CARBIDE
 Cutters:.....V8

CARRIAGE SCREW:.....A4

CATERPILLAR:
 Canned Wipers/Rectangular Seals.....G19-G33

CESSNA, Seal Kits:.....K21

CHAIN:
 Alloy, Coil, Connective Links.....D3-D6
 Hightest, Hooks, Grab & Slip.....D3-D6
 Log, Pail, Proof Coil, Shackles.....D3-D6
 Swivels, Tighteners, Tow Transport...D3-D6
 Couplings, Detacher, Links: Pintle/Roller...S1-S10
 Precise Roller, Pullers, Sprocket.....S1-S10
 Roller: Aqua, Stainless Steel.....S1-S10

CHAR-LYNN.....K1-K3

CLEVELAND.....V7-V9

CLEVIS
 Cylinder.....M7-M8
 Drawbar:.....C3
 Hooks:.....D5
 Jaw Turnbuckles:.....B2
 Pin:.....C11-13, D1-2
 Tractor:.....C7,D1

CLIPPED HEAD, Plow Screws:.....A3

CLIPS, for Clevis Pins:.....M7-M8

CLUTCH:
 Electric/Pumps.....K16

COIL CHAIN
 Alloy, High-Test, Proof, Transport.....D3-D4

COIL SPRINGS:.....A5

COLD SHUTS:.....D6

COLLARS
 Locking:.....Q3
 Set:.....D1

COLLETS:.....V10

COMMERCIAL
 Dry Valve:, Dump Pumps.....K15-K17
 Flow Dividers, Gear Motors/Pumps.....K17-K22
 Seal Kits, Tandem Pumps.....K17-K22

CONES
 Tapered Roller Bearings:.....R1-R11

CONTROL
 Commercial/Directional Valves:.....H6-H8

CONTROL CABLES:.....W17-W19

CONVEYOR, Chain:.....S6

COOLERS, Oil:.....H11

CORN PICKER PIN:.....A5

COTTER PINS:.....A5,A9,C11

COUNTERSINKS:.....V10
 Sets:.....V10

COUPLERS:
 Gooseneck Trailers:.....E3
 Over-Running:.....S17
 Quick, Grease Gun.....N61-N63
 Threaded Rod:.....A6

COUPLING
 Flexible, Jaw, PTO:.....S10-S15
 Links:.....D6
 Pipe:.....N135
 Replacement Chain:.....S10
 Rigid, Shaft, Splined:.....S8-S18
 Seal Kits:.....H3, K21, M7

COVERS, Coupling:.....S10

CROSS
 BA Valves, Parts:.....H3
 Cylinder Seal Kits:.....M7
 Kits:.....H3, K21
 Rod Wiper, Shafts:.....M7
 Seal Kits:.....H3, K21, M7

CROSS & BEARING, KITS:.....P117-P145

CUPS
 Piston:.....G14
 Tapered Roller Bearing:.....R1-R11

CUSHION, Valve:.....H12

CUT-OFFS, Wheels:.....V2

CUTTERS
 Cutting Oil, Square Shanks:.....V8

CUTTING OIL, Thread:.....V8

CYLINDER-Hyd.....M1-M8

D

D WIPERS:.....G33

DETACHER, Chain:.....S4

DIES
 Adjustable, Bolt, Rethreading:.....V10

DISC
 Bearings, Harrow Unit:.....Q16

DIVIDER, Combiner:.....H15

DOME HEAD
 Scraper Screw:.....A3

DOUBLE WELD HUBS:.....S19

DRAIN PLUG:.....H23

DRAW
 Bars:.....E1

DRILL
 Screw:.....A3

DRILLS BITS.....V7
 Countersinks:.....V10

DRIVE
 Line Components/Tubing.....P2-P145
 Shafts: Metric/Telescoping:.....P2-P145

DUMP PUMP:.....K17

E

EATON, Seal Kits:.....K21

ELECTRIC
 Clutches:.....K16

ELEMENTS, Filter:.....H18-H22

END MILLS:.....V8

EXTRACTOR, Screw:.....V10

EYE
 Bolts:.....A5
 Hooks:.....D2

EYE & EYE, Turnbuckles:.....B2

EYES, Pad:.....D6

F

FABRIC & RUBBER
 Chevron Vee:.....G15-G18

FARM
 Hubs/Spindles:.....F10-F12

FENDER, Washer:.....A10

FERRULES
 Four Spiral, Hydra-Lite, Return Hose.....N48-N59

FILES:.....V11

FILTERS
 Breather:.....N60
 Gauges, Return/Suction Line:.....H24

FITTINGS
 Grease:.....N66

FLANGE
 Bearings, Block, Cast Iron:.....Q2-Q74
 Nuts:.....A7-A8, F12
 Screw:.....A1-A4
 Tank:.....N134

FLAP WHEELS.....V2

FLAT
 HEAD
 Socket Cap Screws:.....A11
 Key Stock, Washer:.....A10-A16

FLEXIBLE
 Couplings:.....S9-S10

FLOW
 Control Valves, Diffusers:.....H15-H23
 Dividers:.....H15
 Adjustable, Combiner, Proportional:.....H15
 Ezy Suction/Sump Strainer:.....H23
 Meter:.....N60

FOOT
 Mounting for Pumps:.....K16

FORGED
 Drive Shafts, Yokes.....P2-P5

FOUR SPIRAL HOSE:.....N2

G

GAUGE
 Filter, Hydraulic Pressure: H24
GEAR PUMPS
 Commercial: K15-K20
 Prince: K22
GIB KEY: A16
GOLD, Oil Seals: R27-R29
GOODYEAR, V-Belts: T13-T19
GRAB HOOKS: D5
GREASE
 Caps: F12
 Fittings: N66
 Assortment, Metric: N66
 Gun: N64
 Accessories, Hose: N64
GRESEN
 Seal Kits: K21
GRINDING WHEELS
 Aluminum, Cut-Off, Flap: V2-V3
 Right Angle, Waffled: V2-V3
GRINNELL, Ball Valves: H12

H

H WIPER: G33,G35
HACKSAW BLADES: V11
HAMMERBLOW
 Jacks: E2
HAMMERLOCK, Cotter Pins: A9
HAND
 Pump: K13
 Taps: V9
HAYDEN, Oil Coolers: H11
HELICOIL, Thread Inserts: A14
HEX NUTS: A7-A8
HEXAGON, Rethreading Dies: V10
HIGH-TEST, Steel Chain: D4
HITCH, Pins: C9-D2
HITCHES, Trailer: E1
HOLDERS, Soapstone: V10
HOOKS
 Eye, Grab, Safety, Slip, Swivel: D2-D5
 Pintle: E1
 Tractor Drawbar: C3, E1
HOSE
 Ends, Clamp, Four Spiral, Hydraulic: N1-N59
 Stems & Ferrules, Suction: N2-N59
HUB & SPINDLE GROUP: F2-F12
HUBS
 Assemblies: F2-F12
 Dimensions Weldon: P6, S19-S20
 Idler: Q75-Q76
 QD, QD Welded, Taper Lock: S21-S42
 W Series, X Series: S19-S20
HYDRAULIC
 Couplers, Hose, Hose Ends: N1-N65
 Cylinders: M1-M7
 Filters, Flow Dividers: H15-H22
 Gauges, Oil Coolers: H11-H24
 Motors, Power Units: K1-K22
 Selector Valves, Valves: H1-H17
 Test Kit: N60

I

IDLER
 Hubs, Pulleys, Sprockets: Q75-Q76
IMPLEMENT
 Reinforcing Ring: F12
INDEXES, Drill: V7

J

JACKS E2-E5
JAM, Nuts: A7
JIC
 Adapters: N67-N88

K

K WIPER: G33
KEY STOCK
 Flat, Metric, Offset, Round, Square: A16
KEYED, Shafting: P3
KEYS
 Gib Head, Woodruff: A16
KLIK PINS: C8

L

LANTEX, Seal Kits: M7
LAP, Links: D6
LENOX
 Bandsaw Blades: V4-V6
 Hacksaw/Knives Blades: V11
LINE, Throttle Valves: H16
LINKS
 Chain Connecting: D6
 Lap, Quick, Shackle: D6
 Top: C3-C8
LION,
 Cylinder Seal Kits M1, M7
LOAD BINDERS: D3
LOADER VALVE H5
LOG
 Chains: D4
 Splitter Unit: K12
LOVEJOY
 Flexible Couplings: S11-S15
LYNCH, Pins: C8-C9

M

MACHINERY, Bushings A8
MACHINERY, Coil Springs: A5
MAGNETIC
 Drain Plugs: H23
MALLEABLE, Pipe Fitting: N135
MARKER VALVE: H17
MARTIN, Sprockets: S23-S43
METAL, Babbitt: V3
METAL CLAD, Wipers: G31-G32
METRIC
 Flat Washer:, Hex Nut/Screw A17-A19
 Keystock, Lock Washer A16-A19
 Nylon Insert Nut: A19
 O-Rings: G11-G12
 Oil Seals: R12,R24,R30
 Ovalok Nut: A19
 Rod Seals/Wipers: G29-G35
 Thread Repair Kits, Threaded Rod: A6,A14
 U-Joints, Yokes: P25-P145
METRO VALVES H4
MILLS, End: V8
MODULAR BACKUP G8
MO-MAX, Tool Bits: V8
MONARCH
 Power Units, Solenoids: K11
MONARCH RED LION
 Seal Kits: M7
MOTORS
 Char-Lynn: K1-K3
 Commercial Gear: K18-K20
 Prince K13
 Seal Kits: K20-K21
 TRW Ross: K14

N

NATIONAL
 Metric Oil Seals: R30
NEEDLE
 Valves: H16
NIPPLE
 Pipe: N135
NUTS
 Acme, Castle, Elastic Stop, Flange: A6-A8
 Conical, Wheel: F12
 Heavy, Hex, Jam, Left Hand, Lock: A6-A8
 Metric: A17-A19
 Ovalok, Serrated, Slotted, Stop: A7
NYLON, Adapters for Vees: G15-G18
 Bearings: Q70

O

O-RINGS: G2-G12
 Adapters: N67-N133
 Measuring Tape, Metric, Took Kit G36
OIL
 Coolers, Supply Tanks: H11
 Thread Cutting: V8
OIL SEAL
 SKF/Chicago Rawhide: R12-R24
 Gold, National: R27-R30
OVER-RUNNING, Couplers: S17

P

PAD EYES: D6
PAIL CHAIN: D4
PILLOW BLOCKS: Q3
PILOT
 Relief Valve: H13
PINS
 Adjustable Draw,Draw,Klik,Lynch: C7-C13
 Corn Picker: A5
 Roll,expan,spring A15
 Hitch: C9-D2
 Power Take-Off: C8
 Roll Assortmant, Spring: A15
 Stabilizer, Top Link: C3-C6
PINTLE
 Chain: S5
 Hooks: E1
PIONEER
 Quick Coupler: N61-N65
PIPE
 Fittings,Nipples,Plugs,Thread Adapter: N67-N134
 Taps: V9
PISTON
 Cups, Rings (Cast Iron), Seals (Teflon):... G7-G14
 Pump: K12
PLUGS
 Drain: H23
POLYPAK
 Seals: See URINGS and USEALS
POWER
 Steering-Flow Divider: H15
 Take-Off
 Adapters: S16-S17
 Pins, Tubing: C8,P3-P4
POWER UNITS: K11-K12
PRESSED STEEL, Flanges: Q3
PRINCE
 Hydraulic Cylinders: M2-M6
 Gear Pumps, Gerotor Motor: K13,K22
 RD Valves: H2
 Rephasing/Welded Cylinders: M5
 Seal Kits: K21,M8
 Shafts: M8
 Valves: H1-H6

INDEX

P Continued.....

PROOF COIL CHAIN:	D4
PROPORTIONAL DIVIDER:	H15
PTO	
Adapters:.....	S16-S17
Pump:.....	K22
PULLERS , Roller Chain:.....	S4
PULLEY	
Blanks:.....	T3
Hubs:.....	S41-S42
Idler:.....	Q75
Wire Rope:.....	B1
PUMPS	
Clutch, Foot Mount:.....	K16
Commercial:.....	K15-K20
Dump:.....	K17
Gear:.....	K15-K22
Drive Adapter:.....	S17
Hand, Log Splitter:.....	K12-K13
Parts:.....	K20
Prince Gear:.....	K22
PTO:.....	K22
Seal Kits:.....	K20

Q

QD	
Flexible Couplings:.....	S10
Hub:.....	S41
Welded:.....	S32
Sheave Blanks:.....	T4-T12
Sprocket Blanks:.....	S21-S40
QUADRIGAGES:	N60
QUICK	
Coupler:.....	N61-N65
Link:.....	D6

R

RADIAL BALL BEARINGS:	Q18-Q23
RATCHET	
Load Binders:.....	D3
RECTANGULAR , Piston Seals:.....	G19-G20
REDI-BOLT	
Couplers, Threaded Rod:.....	A5-A6
REINFORCED , Cut-Off Wheels:.....	V2-V3
RELIEF VALVES:	H13, H14
REPHASING , Cylinders:.....	M5
RESTRICTOR SWIVEL:	N134
RETHREADING , Dies:.....	V10
REUSABLE , Hose Ends:.....	N59
RIGID	
Shaft/Splined Couplings:.....	S17-S19
RINGS	
Cast Iron Piston:.....	G13
Snap:.....	A20
Telfon TFE:.....	G2-G10
Vee, Wear:.....	G15-G22
ROD	
End Fittings:.....	Q73-Q74
Threaded:.....	A6
Metric:.....	A12
Wiper Rings:.....	G31-G35
ROD WIPER ,	
for Cross:.....	M7
ROLLER CHAIN:	S1-S4
Detachers, Pullers:.....	S4
ROPE	
Clips for Wire Rope, Sheaves, Thimbles:.....	B1-B2
ROSS MOTORS:	K4-K10
ROUND , Key Stock:.....	A16

S

SAE WASHER:	A10
SAFETY	
Hooks:.....	D2
PTO Shields:.....	P4-P5
Metric:.....	P25-P145
SAND SPREADER VALVE:	H14
SAWS	
Hack:.....	V11
SCRAPER BLADE SCREW:	A3

SCREW

Carriage, Domehead, Drill:.....	A3-A4
Conical, Splined, Wheel:.....	F12
Extractor Sets, Taps:.....	V9-V10
Flat Head	
Socket Cap Screw:.....	A11
Hex, Metric:.....	A1-A3, A17-A19
Metric:.....	A17-A19
Plow:.....	A3
Scraper Blade, Set Screw:.....	A3, A12
Socket Head	
Cap, Set Screw:.....	A11-A12
Square Head, Set Screw, Trailer Floor:.....	A3

SEAL

Filter:.....	H18-H22
Gold Oil:.....	R27-R29
Identification Chart:.....	G1
SEALS	X section. Also. See Booklets
Seal chart for most popular cylinders	X2-X3

Agriculture/Snow plow

Allis Chalmers.....	X4
Bobcat.....	X4-X6
Bush-Hog.....	X6
Case.....	X6-X7
John Deere.....	X8-X16
Dual.....	X16-X17
Ezee.....	X17
Farmhand.....	X17-X18
Ford.....	X18-X19
Gahl.....	X19
Great Bend.....	X20
Hesston.....	X20-X23
International Harvester.....	X23-X27
Kewanee.....	X27
Koyker.....	X27-X28
Krause.....	X28
Leon.....	X28
Lion.....	X29
Massey Ferguson.....	X29-X33
Midwest.....	X33
Monarch Road.....	X33
Holland.....	X33-X34
Owatonna.....	X34-X35
Steiger.....	X35
Versatile.....	X35-X36
Westendorf.....	X36
White.....	X36-X37
Woods.....	X37

Replacement Seal Kits

Atlas.....	X37
Bantam.....	X37
Barko.....	X37
Buffalo.....	X37
Cascade.....	X37
Dynahoe.....	X37
Eaton Yale.....	X37
Esco.....	X37
Farmstar.....	X37
Fontaine.....	X37
Franklin.....	X37
Gafner-Iron Mule.....	X37
Glencoe.....	X37
Harvester.....	X37
Houle.....	X37
Husky.....	X37
Hydro-Line.....	X37
Hycan.....	X37
Johnson.....	X37
Koehring.....	X37
Kelly Ripper.....	X37
Loadmaster.....	X37
Myers.....	X37
Pak-Mor.....	X37
Parker-Hannifin.....	X37-X38
Prentice.....	X38
Ronen.....	X38
Sunflower.....	X38
Super Draulic.....	X38
Taylor.....	X38
Tel-E-Lect.....	X38
Texas.....	X38
Veno.....	X38
Unit Rig.....	X38
Will-Rich.....	X38

CALL FOR ADDITIONAL SELECTION

SELECTOR VALVES:	H17
-------------------------------	-----

SET COLLAR:	
Round.....	C13
Hex.....	D1

SET SCREW

Metric, Socket/Square Head:.....	A11-A12
----------------------------------	---------

SHAFTING

Rectangular, Round, Square:.....	P2-P4
----------------------------------	-------

SHAFT

Clevis, Cross, Cylinders, Prince:.....	M2-M8
Round Keyed, Splined:.....	P3
Telescoping Drive:.....	P2-P5

SHEAVES

One Groove A-B, QD, Taper Lock:.....	T1-T12
Two Groove A-B:.....	T1-T12
Wire Rope:.....	B1

SHIELDS:

Drive Shafts, Metric Driveshaft:.....	P2-P145
---------------------------------------	---------

SHOP PRESS UNIT:	K12
-------------------------------	-----

SHUT-OFF VALVE:	H16
------------------------------	-----

SHUTS , Cold:.....	D6
---------------------------	----

SIGHT GLASSES:	N60
-----------------------------	-----

SKF/CHICAGO RAWHIDE , Seals.....	R13-R24
---	---------

Metric Oil Seals.....	R30
-----------------------	-----

SLEEVE

Drive Shafts:.....	P2-P5
Slip, Splined:.....	P3-P5, S18
Speedi-Sleeve:.....	R25-R26

SLIPS , Hooks:.....	D5
----------------------------	----

SLOTTED

Nuts:.....	A7
------------	----

SNAP HITCH , Adapter:.....	S17
-----------------------------------	-----

SNOW PLOW CYLINDERS:	M4
-----------------------------------	----

SNUBBER , Gauge:.....	N60
------------------------------	-----

SOAPSTONE:	V10
-------------------------	-----

Holdings:.....	V10
----------------	-----

SOCKET HEAD

Cap Screws, Set Screws:.....	A11-A12
Metric Set Screw:.....	A17-A18

SOLENOID , Control Valves:.....	H9
--	----

SOLENOIDS , Power Units:.....	K11
--------------------------------------	-----

SPEEDI-SLEEVE:	R25-R26
-----------------------------	---------

SPHERICAL , Radial Bearings:.....	Q4-Q60
--	--------

SPINDLE

Assemblies, Farm, Washers:.....	F2-F12
---------------------------------	--------

SPLINE

Adapters, Couplers:.....	S15-S18
Shafts, Sleeves:.....	S16-S18

SPLIT , Ball Bushings:.....	Q18
------------------------------------	-----

SPRING

Coil Machinery:.....	A5
----------------------	----

Tension Bushings:.....	Q72
------------------------	-----

SPROCKET

Bored to Size, Double:.....	S19-S40
-----------------------------	---------

Chain, Cut Tooth:.....	S5
------------------------	----

Hardened Weld-On:.....	S21-S40
------------------------	---------

Idler:.....	Q76
-------------	-----

QD, Taper Lock, Type A/B:.....	S21-S38
--------------------------------	---------

Weld-On:.....	S19-S37
---------------	---------

SPUN STEEL SHEAVES:	T2-T4
----------------------------------	-------

STABILIZER , Stub Pins:.....	C9
-------------------------------------	----

STAINLESS STEEL

Roller Chain:.....	S4
--------------------	----

STAMPED , Flanges:.....	Q3
--------------------------------	----

STEEL

Cold Rolled:.....	P3
-------------------	----

Drive Line Tubing, Shafting, Tubing:.....	P2-P5
---	-------

STRAIGHT , Shank Drills:.....	V7
--------------------------------------	----

STRAINERS

Return Line, Suction, Sump:.....	H23
----------------------------------	-----

STRAPS

Tie Down:.....	D1
----------------	----

STROKE CONTROL

Assemblies, Segments, Valve:.....	M5
-----------------------------------	----

Two Sleeve Assembly:.....	M5
---------------------------	----

STUB END , Turnbuckle:.....	B2
------------------------------------	----

STUD , Screws, Wheel:.....	F12
-----------------------------------	-----

SUCTION

Hose, Hose Ends:.....	N1-N59
-----------------------	--------

Line Filter, Strainer:.....	H23
-----------------------------	-----

SUMP STRAINER:	H23
-----------------------------	-----

SUNDSTRAND , Seal Kits:.....	K21
-------------------------------------	-----

INDEX

T

TANK
 Breathers:..... N60
 Flange: N134
 Oil Supply H11
TAPER, Taps: V8
TAPER LOCK
 Hubs:..... S42
 Sheaves: T4-T12
 Sprockets:S21-S38
TAPS: V9
 Hand, Pipe Taper, Screw, Size Chart: V9
 Metric:..... V9
TEFLON
 Piston Seals, Washers: G2-G10
TELESCOPING
 Drive Shafts, Tubing: P2-P5
TENSION BUSHINGS
 Spring Steel: Q72
THIMBLES, Wire Rope: B2
THREAD
 Cutting Oil:..... V8
THREADED ROD: A6
 Metric:..... A12
THREADERS, Bolt: V9
THREE-POINT, Linkage Parts: C7

THROTTLE VALVES: H16
TIE ROD, Cylinders: M1-M2
 Parts: M6-M7
TIGHTENERS, Chain: D3
TIMKEN
 Bearings: R1-R11
 Thrust Bearings: Please Call
TOOL BITS: V8
TOP LINKS: C3
TORQMOTORS: K1-K9
TORX-HEAD BIT: A3
TOW
 Chains: D4
 Rings: E1
TRI-POWER, Hand Pump: K13
TRW ROSS
 Motors: K4-K10
 Seal Kits: K21
TUBING
 Drive Line, Drive Shaft, Telescopic:P2-P5
 Rectangular, Round, Square:.....P2-P5
TURNBUCKLES
 Eye and Eye, Hook and Eye:..... B2
 Jaw and Jaw, Stub End B2

U

U-SEALS:..... G29-G30
 Metric: G29-G30
UNITS, Hydraulic Power: K11-K12
URING:..... G23-G28
 Metric:..... G23-G28

V

V-BELTSS44,T13-T19
VALVES
 Ball, Check Inline, Cushion: H11-H12
 Cross, Motor Control, Metro:..... H2-H4
 Directional Control:..... H1-H8
 Flow Control: H15, H16
 Knock-Out, Loader, Williams: H4
 Lock,Pressure Lock, Marker: H17
 Needle, Shut-Off, Throttle: H16
 Pilot Pressure Relief:..... H13
 Prince: H1-H6
 Relief, Sand Spreader: H13,H14
 Sectional:..... H1-H8
 Selector, Sequence: H10,H17
 Solenoid Control:..... H9
VEE RINGS:..... G15-G18

W

WAGON
 Hubs, Repair Parts, Spindles: F10-F12
 Wheel Reinforcing Ring: F12
WARNER ELECTRIC, Clutches: K16
WASHER
 Back-Up:..... G2-G6
 Fender, Flat, Lock, SAE : A10
 Metric:..... A19
 Spindle: F12
WEAR RING: G21-G22
WEATHERHEAD,Z Fittings Hose Ends: N4-N12
WELD-A-JOINT
 Bushings, Large, Small: P6
WELDED
 Cylinders: M1-M5
WESCON Cabels..... W2-W16
WHEEL
 Cut-Off, Flap Grinding, Grinding: V2-V3
 Nuts, Reinforcing Rings: F12
 Screws
 Conical Head:..... F12
 Flat Head:..... F12
 Splined: F12
 Stud Screws: F12
WHITE/OLIVER
 Seal Kits: K21
LENZ Gauges:..... H24
WILLIAMS
 Parts, Power Units, Pumps: K12
 Valves: H4
WIPERS
 AN Wiper, H Wiper: G33
 D Wiper, K Wiper: G33
 Metal Clad Canned: G31-G32
 Metric: G34-G35
WIRE ROPE
 Clips, Sheaves, Thimbles: B1-B2
WOODRUFF KEY:..... A16

Z

ZERKS, Grease: N66
 Assortment: N66

FIVE EASY WAY TO ORDER FOR SAME DAY SHIPMENT

Get technical help before you buy

Our staff of professional sales people will be glad to assist you

Just call 800-228-9288

Ordering Information Tips

MINIMUM ORDER - NONE

SHIPPING INFORMATION -

F.O.B. shipping point is our dock in Omaha, Nebraska. Your clear shipping instructions will allow your order (items in stock)

SAME DAY SHIPMENT. 'Orders for customer pick-up' will be held up to 10 days, then will be either shipped or returned to stock.

PRICES - Are listed in **U.S. dollars** and are subject to change without notice. The price charged will be the price in effect when we receive the order.

PRICE QUOTATIONS - Are good for the day quoted only.

DISCOUNTS - Your order may qualify for substantial discounts.

TERMS - Payment with order, or if you have an approved account, terms are **NET 30** days from invoice date.

RETURNS - Check your shipment against our packing slip and notify us immediately of any errors and they will be corrected. Direct and Special orders or Built to order pumps, motors, cables, sawblade and hose assemblies are not returnable. All returns must be authorized and are subject to a 10% restock fee if a replacement order is not placed. There will be a 15% restock fee if we do not receive the request for return within 10 working days of invoice date. Returns will not be accepted after 30 days. **NO EXCEPTIONS!!** Call the order desk to request an RMA number which is only good for 10 days. Recarton the merchandise in a shipping box and write the RMA number on the outside and return to Baum Hydraulilcs. We do not issue Call Tags for pick up of returns. **NOTE:** Merchandise must be complete with all parts and accesories, clean and in it's original factory box (with no writing on it) in order to be accepted for credit. Keep all shipping cartons, labels and packing materials together for possible inspections and claims with the shipping company if your package is damaged or parts are missing.

SPECIAL MERCHANDISE :

At times as a service to you we accept orders for items not shown in our catalog.

NOTE: THESE ORDERS CANNOT BE CANCELLED. MERCHANDISE THAT HAS BEEN SPECIAL ORDERED (NON-STOCK) CAN NOT BE RETURNED FOR CREDIT
CUSTOM. TECHNICAL. CREDIT ASSISTANCE -
800-228-9288 FROM U.S.A.
402-345-4122 FROM ANYWHERE

AFTER HOURS and WEEKENDS TELEPHONE ORDERING -

800-228-9288 FROM U.S.A.
402-345-4122 FROM ANYWHERE
FAX: 800-832-2522 FROM U.S.A.
FAX: 402-345-0663 FROM ANYWHERE

The recording will advise you what is needed, leave a message and we will get back to you as soon as possible.

CREDIT APPROVAL PROCEDURE - Your company is probably already approved, if not we will start working right away to open an account for you. CALL **800-228-9288**

CREDIT CARDS - Visa, Mastercard, American Express, Discover accepted. Sorry no C.O.D. shipments.



WARRANTY

WARRANTIES: Seller warrants that it is conveying good title to the products supplied hereunder, free of any security interest or other encumbrance of which buyer has no knowledge, and that the products supplied hereunder are of merchantable quality, as defined in sub-paragraphs (a) through (f) of Section 2314 of the Uniform Commercial Code.

DISCLAIMER OF WARRANTIES: The warranties specified in the above paragraph are seller's sole warranties with respect to the products supplied hereunder, and buyer acknowledges it is relying on no other warranty, either written or oral, concerning such products. **SELLER HEREBY SPECIFICALLY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES OF ANY KIND WHATSOEVER, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WHICH EXCEEDS THE AFORESTATED WARRANTIES.**

REMEDY FOR BREACH OF WARRANTY: If any product supplied hereunder is not as warranted above Buyer shall return the product F.O.B. Seller's warehouse as soon as possible after discovery of the defect, and in any event within 30 days after the date of purchase. If Seller and it's supplier determine that one of its warranties has not been breached, Seller shall repair, or at Seller's option, replace the product, if a replacement is reasonably available, or repairs reasonable, or refund the purchase price after charging, in either event, for the service rendered to the defective product.

LIMITATION OF LIABILITY: The remedy set forth in the preceding paragraph is the sole and exclusive remedy of buyer for breach of the above warranties. **SELLER'S LIABILITY SHALL IN NO EVENT EXCEED THE REPLACEMENT COST OF THE DEFECTIVE PRODUCT AND BUYER WAIVES ANY RIGHT TO CONSEQUENTIAL DAMAGES BEYOND THE REPLACEMENT COST OF THE DEFECTIVE PRODUCT.**

REPAIRS: The warranties stated herein are void if repairs to the products supplied hereunder are done or attempted by anyone other than Seller, unless Buyer shall first have obtained Seller's written consent to such repairs.

Welcome to



Since 1888, Baum Hydraulics has evolved into what it is today because of you - our customers.

At Baum Hydraulics, our goal is to make sure we can supply the product you need with the best prices possible.

Our sales team offers over 250 years of experience in the industry. You can look to us for any questions you may have and we will do our best to assist you.

Thank you for inquiring about our products!

Sincerely,
Ernie Buttry
President, CEO
Baum Hydraulics, Inc.



1221 HARNEY STREET
OMAHA, NE 68102
800-228-9222

QUICK INDEX

BOLTS & NUTS & WASHERS & SNAP RINGS
Metric & Inch

A

WIRE ROPE SHEAVES

B

THREE POINT LINKAGE PARTS
ADJUSTABLE & FORGED DRAW PINS

C

CHAIN & HOOKS

D

COUPLINGS & JACKS

E

WAGON HUBS & SPINDLES & PARTS

F

CYLINDER SEALS
Polypacks & U-Cups & Vees
O-rings & Backups
Metric & Inch

G

VALVES & FILTERS

H

PUMPS & MOTORS
Seal Kits for Pumps & Motors

K

CYLINDERS

M

HOSE & HOSE ENDS & ADAPTERS

N

JOINTS & YOKES

P

BEARINGS

Q

BEARINGS & OIL SEALS
WHEEL BEARING KITS

R

CHAIN & SPROCKETS
PTO ADAPTERS

S

SHEAVES & BELTS

T

DRILLS & TAPS & GRINDING WHEELS
BANDSAW BLADES & FILES

V

CONTROL CABLES FOR:
Farm & Construction & Logging & Garbage Trucks & Transit Mixers

W

X

Y

CONVERSION CHART
Decimal Equivalent of Fractions and Millimeters

Fraction	Decimal	MM	Fraction	Decimal	MM	Fraction	Decimal	MM	Fraction	Decimal	MM
1/64	.0156	.397	51/64	.7968	20.241	2	2.0	50.80	3-3/8	3.3750	85.725
1/32	.0312	.794	13/16	.8125	20.638		2.0079	51		3.3858	86
	.0394	1		.8268	21	2-1/32	2.0312	51.594	3-13/32	3.4062	86.519
3/64	.0469	1.191	53/64	.8281	21.034		2.0472	52		3.4252	87
1/16	.0625	1.588	27/32	.8437	21.431	2-1/16	2.0625	52.388	3-7/16	3.4375	87.313
5/64	.0781	1.984	55/64	.8593	21.828		2.0866	53		3.4646	88
	.0787	2		.8661	22	2-1/8	2.1250	53.975	3-15/32	3.4687	88.106
3/32	.0937	2.381	7/8	.8750	22.225		2.126	54		3.5039	89
7/64	.1093	2.778	57/64	.8906	22.622	2-5/32	2.1562	54.769	3-17/32	3.5312	89.694
	.1181	3		.9055	23		2.165	55		3.5433	90
1/8	.1250	3.175	29/32	.9062	23.019	2-3/16	2.1875	55.563	3-9/16	3.5625	90.487
9/64	.1406	3.572	59/64	.9218	23.416		2.2047	56		3.5827	91
5/32	.1562	3.969	15/16	.9375	23.813	2-7/32	2.2187	56.356	3-19/32	3.5937	91.281
	.1575	4		.9449	24		2.244	57		3.622	92
11/64	.1718	4.366	61/64	.9531	24.209	2-1/4	2.2500	57.150	3-5/8	3.6250	92.075
3/16	.1875	4.763	31/32	.9687	24.606		2.2835	58		3.6614	93
	.1969	5	63/64	.9843	25	2-5/16	2.3125	58.738	3-11/16	3.6875	93.663
13/64	.2031	5.159	1	1.0	25.400		2.3228	59		3.7008	94
7/32	.2187	5.556		1.0236	26	2-11/32	2.3437	59.531	3-23/32	3.7187	94.456
15/64	.2343	5.953	1-1/32	1.0312	26.194		2.3622	60		3.7401	95
	.2362	6	1-1/16	1.0625	26.988	2-3/8	2.3750	60.325	3-3/4	3.7500	95.250
1/4	.2500	6.350		1.063	27		2.4016	61		3.7795	96
17/64	.2656	6.747	1-3/32	1.094	27.781	2-7/16	2.4375	61.913	3-13/16	3.8125	96.838
	.2756	7		1.1024	28		2.4409	62		3.8189	97
9/32	.2812	7.144	1-1/8	1.1250	28.575	2-15/32	2.4687	62.706	3-27/32	3.8437	97.631
19/64	.2968	7.541		1.1417	29		2.4803	63		3.8583	98
5/16	.3125	7.938	1-5/32	1.1562	29.369	2-1/2	2.5000	63.500	3-7/8	3.8750	98.425
	.315	8		1.1811	30		2.5197	64		3.8976	99
21/64	.3281	8.334	1-3/16	1.1875	30.163	2-17/32	2.5312	64.294	3-29/32	3.9062	99.219
11/32	.3437	8.731	1-7/32	1.2187	20.956		2.559	65		3.9370	100
	.3543	9		1.2205	31	2-9/16	2.5625	65.088	3-31/32	3.9687	100.806
23/64	.3593	9.128	1-1/4	1.2500	31.750		2.5984	66		3.9764	101
3/8	.3750	9.525		1.2598	32	2-5/8	2.6250	66.675	4	4.0	101.600
25/64	.3906	9.922	1-9/32	1.2812	32.544		2.638	67		4.0158	102
	.3937	10		1.2992	33	2-21/32	2.6562	67.469	4-1/32	4.0312	102.394
13/32	.4062	10.319	1-5/16	1.3125	33.338		2.6772	68		4.0552	103
27/64	.4218	10.716		1.3386	34	2-11/16	2.6875	68.263	4-1/16	4.0625	103.188
	.4331	11	1-11/32	1.3437	34.131		2.7165	69		4.0946	104
7/16	.4375	11.113	1-3/8	1.3750	34.925	2-3/4	2.7500	69.850	4-1/8	4.1250	104.775
29/64	.4531	11.509		1.3779	35		2.7559	70		4.1338	105
15/32	.4687	11.906	1-13/32	1.4062	35.719	2-25/32	2.7812	70.644	4-5/32	4.1562	105.569
	.4724	12		1.4173	36		2.7953	71		4.1732	106
31/64	.4843	12.303	1-7/16	1.4375	36.513	2-13/16	2.8125	71.437	4-3/16	4.1875	106.363
1/2	.5000	12.700		1.4567	37		2.8346	72		4.2126	107
	.5118	13	1-15/32	1.4687	37.306	2-27/32	2.8437	72.231	4-1/4	4.2500	107.950
33/64	.5156	13.097		1.4961	38		2.874	73		4.252	108
17/32	.5312	13.494	1-1/2	1.5000	38.100	2-7/8	2.8750	73.025	4-9/32	4.2812	108.744
35/64	.5468	13.891		1.5354	39		2.9134	74		4.2914	109
	.5512	14	1-9/16	1.5625	39.688	2-15/16	2.9375	74.613	4-5/16	4.3125	109.538
9/16	.5625	14.288		1.5748	40		2.9527	75		4.3307	110
37/64	.5781	14.684	1-19/32	1.5937	40.481	2-31/32	2.9687	75.408	4-11/32	4.3437	110.331
	.5906	15		1.6142	41		2.9921	76		4.3702	111
19/32	.5937	15.081	1-5/8	1.6250	41.275	3	3.0	76.200	4-3/8	4.3750	111.125
39/64	.6093	15.478		1.6535	42		3.0315	77		4.4096	112
5/8	.6250	15.875	1-11/16	1.6875	42.863	3-1/16	3.0625	77.788	4-7/16	4.4375	112.713
	.6299	16		1.6929	43		3.0709	78		4.449	113
41/64	.6406	16.272	1-23/32	1.7187	43.656	3-3/32	3.0937	78.581	4-15/32	4.4687	113.506
21/32	.6562	16.669		1.7323	44		3.1102	79		4.4884	114
	.6693	17	1-3/4	1.7500	44.450	3-1/8	3.1250	79.375	4-1/2	4.5000	114.300
43/64	.6718	17.066		1.7717	45		3.1496	80		4.5275	115
11/16	.6875	17.463	1-25/32	1.7812	45.244	3-5/32	3.1562	80.169	4-9/16	4.5625	115.888
45/64	.7031	17.859		1.811	46		3.189	81		4.5672	116
	.7087	18	1-13/16	1.8125	46.038	3-7/32	3.2187	81.756	4-19/32	4.5937	116.681
23/32	.7187	18.256		1.8504	47		3.2283	82		4.6066	117
47/64	.7343	18.653	1-7/8	1.8750	47.625	3-1/4	3.2500	83.550	4-5/8	4.6250	117.475
	.7480	19		1.8898	48		3.2677	83		4.646	118
3/4	.7500	19.050	1-29/32	1.9062	48.419	3-9/32	3.2812	83.344	4-21/32	4.6562	118.269
49/64	.7656	19.447		1.9291	49		3.3071	84		4.6854	119
25/32	.7812	19.844	1-15/16	1.9375	49.213	3-5/16	3.3125	84.137	4-11/16	4.6875	119.063
	.7874	20		1.9685	50		3.3464	85		4.7244	120