



TRACTOR CLEVISE HITCH PINS & SHAFT COLLARS

D1

TRACTOR CLEVISES TWISTED & STRAIGHT - Hot Forged From Hi-Strength. Black Powder Coated Finish.
Clevis Pins Are Yellow Zinc Dichromate Plated.



TWISTED



STRAIGHT

Part Number	Type	Our Sequence Number	Price Per Piece	Wt.	B Loop Width	D Body Size	K Use Hair Pin Size	L Useable Length	P Pin Diam.	W Width Between Eyes
M8158	Straight	123580	\$....	1-1/2	2	5/8	10	3-1/4	1/2	7/8
M8134	Straight	123584	2-1/2	2-1/4	3/4	10	3-3/4	5/8	1-5/16
M8878	Straight	123328	22.42	3	2	7/8	10	3-1/4	3/4	1-5/16
M8078	Twist	123264	3	1-3/4	7/8	10	3	3/4	1-5/16
M8278	Twist	123136	3-1/2	2-5/8	7/8	10	3-7/8	3/4	1-5/16
M8195	Straight	123392	5-3/4	3-5/16	1	6	5-5/16	1	2-1/8

TRACTOR DRAWBAR CLEVIS - GRAB HOOK

Hair Pin Size-No. 10, Weight 3.1 pounds.




Hot forged of high strength steel and heat treated.
Special heat-treated steel pin. For use with
5/16 to 1/2 inch chain.

Part Number	Width Opening Inches	Length Opening To Center Of Pin Inches	Diam. Pin Inches	Length Overall Inches	Our Sequence Number	Price Per Piece
M834	1-5/8	2	3/4	7	123732	\$....

ROUND & HEX SHAFT SET COLLARS - PLATED

Made of solid steel and machined all over. With hollow head set screw included.



Part Number	Shaft Size Inches	Outside Diameter Inches	Width Inches	Pkg. Qty.	Price Per Piece
-------------	-------------------	-------------------------	--------------	-----------	-----------------


ROUND SHAFT SET COLLARS

LSC-4	1/4	1/2	9/32	5	\$1.27
LSC-5	5/16	5/8	11/32	5	1.28
LSC-6	3/8	3/4	3/8	5	1.45
LSC-7	7/16	7/8	7/16	5	1.55
LSC-8	1/2	1	7/16	5	1.55
LSC-10	5/8	1-1/8	1/2	5	1.82
LSC-12	3/4	1-1/4	9/16	5	2.30
LSC-14	7/8	1-1/2	9/16	5	2.97
LSC-15	15/16	1-5/8	9/16	5	1.33
LSC-16	1	1-1/2	5/8	5	3.34
LSC-18	1-1/8	1-3/4	5/8	5	3.75
LSC-19	1-3/16	2	11/16	5	4.36
LSC-20	1-1/4	2	11/16	5	5.03
LSC-21	1-5/16	2-1/8	11/16	5	5.44
LSC-22	1-3/8	2-1/8	3/4	5	5.88
LSC-23	1-7/16	2-1/4	3/4	5	6.62
LSC-24	1-1/2	2-1/4	3/4	5	6.62
LSC-26	1-5/8	2-1/2	13/16	3	8.92
LSC-27	1-11/16	2-1/2	13/16	3
LSC-28	1-3/4	2-3/4	7/8	3	11.21
LSC-30	1-7/8	2-3/4	7/8	3	11.24
LSC-31	1-15/16	3	7/8	3	13.10
LSC-32	2	3	7/8	3	13.08
LSC-34	2-1/8	3	7/8	3	3.48
LSC-36	2-1/4	3-1/4	15/16	3
LSC-37	2-5/16	3-1/4	15/16	3	3.32
LSC-38	2-3/8	3-1/4	15/16	3	4.37
LSC-39	2-7/16	3-1/2	1	3
LSC-40	2-1/2	3-1/2	1	3
LSC-47	2-15/16	4-1/4	1-1/8	3
LSC-48	3	4-1/4	1-1/8	3

HEX SHAFT SET COLLARS


LSC-10	5/8 Hex	1-1/8	9/16	5
LSC-12	3/4 Hex	1-3/8	5/8	5	16.38
LSC-14	7/8 Hex	1-1/2	5/8	5	17.35
LSC-16	1 Hex	1-5/8	5/8	5	17.89
LSC-18	1-1/8 Hex	1-3/4	5/8	5	19.33
LSC-20	1-1/4 Hex	2	11/16	5	21.19

DOUBLE H LOCKEASE HITCH PINS -



Part Number	Diam. Inches	Useable Lgth Inches	Our Sequence Number	Price Per Piece
80160	3/4	6	179045	\$43.21
80170	7/8	6	179046	45.47
80180	1	6	179047	50.86
80190	11-1/8	7	179048	58.38
80200	1-1/4	7	179049	63.91
80210	1-1/2	8	179050	73.57

MILLER GROOVED SNAP LOCK HITCH PINS -



Part Number	Diam. Inches	Useable Lgth Inches	Pkg. Qty.	Our Sequence Number	Price Per Piece
58SL	5/8	4	25	185664	\$6.41
34SL	3/4	4	25	185728	6.79
346SL	3/4	6-1/4	12	185792	13.49
100SL	1	5-1/2	12	185860	22.82

TIE DOWN STRAPS -



Part Number	Strap Length Inches	Overall Length with S Hooks Inches	Span Range Inches	Pkg. Qty.	Our Sequence Number	Price Per Piece
TSA10	10	14	15-20	10	527902	\$2.95
TSA15	15	19	20-30	10	527904	3.50
TSA21	21	25	30-40	10	527906	3.71
TSA31	31	35	40-50	10	527908	4.84

Prices subject to change without notice. **ASK FOR QUANTITY DISCOUNT**

1-800-228-9222 / e-mail: sales@baumhydraulics.com

Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

BAUM HYDRAULICS CORPORATION

HITCH PINS & SAFETY HOOKS

DOUBLE H HITCH PINS WITH WIRE HANDLES -

Forged Pin High Carbon Steel.
Spring Wire Handle Yellow Zinc Pated Heat Treated to Rc 28-32



Part Number	Diam. Inches	Useable Lgth Inches	Pkg. Qty.	Our Sequence Number	Price Per Piece
29910	1/2	4	6	178902	\$5.56
29921	5/8	4	6	178904	5.96
29926	5/8	5-3/4	6	178906	6.99
29932	3/4	4	6	178908	7.04
29936	3/4	6-1/4	6	178910	8.15
29943	7/8	7	6	178912	11.02
29954	1	7	4	178914	13.20
29965	1-1/8	7	4	178916	19.57
29976	1-1/4	7	4	178918	24.52

HOPE HAVEN HITCH PINS WITH SOLID HANDLES -


Forged Steel. 3/8" uses # 3 Hair Pin Cotter. 1/2" uses #11 Hair Pin Cotter. 5/8" & larger uses #9 Hair Pin Cotter.



Part Number	Diam. Inches	Useable Lgth Inches	Pkg. Qty.	Our Sequence Number	Price Per Piece
H12	1/2	3-5/8	12	179008	\$7.29
H58	5/8	5-1/2	12	179010	8.50
H34	3/4	6	12	179015	10.11
H78	7/8	6-1/2	12	179020	12.60
H100	1	7-1/2	12	179025	17.33
H1125	1-1/8	8-1/2	6	179030	23.42
H1250	1-1/4	8-1/2	6	179035	29.48
H1500	1-1/2	8-1/2	3	179040	42.18

MILLER HITCH PINS -

Complete with Hair Pin Cotter. Precision Machined from High Strength Steel Big Folding Handle. Zinc Plated with Hair Pin Lock



5/8"-7/8" use no. 9 Hair Pin Cotter
1"-1-1/4" use no. 8 Hair Pin Cotter
1-1/2" use no. 19 Hair Pin Cotter

Part Number	Diam. Inches	Useable Lgth Inches	Pkg. Qty.	Our Sequence Number	Price Per Piece
38H	3/8	3	25	185034	\$3.72
12H	1/2	3-1/2	12	184950	6.85
58H	5/8	4-1/2	25	184960	4.80
586H	5/8	6	25	185216	6.04
34H	3/4	4-1/2	25	185024	6.83
346H	3/4	6	25	185280	7.69
78H	7/8	4-1/2	12	185044	8.11
786H	7/8	6	12	185152	10.53
100H	1	4-1/2	12	185054	16.48
1006H	1	6	12	185344	12.69

ECONOMY SAFETY HOOKS - GRADE 43 Forged Steel

NOT FOR HOISTING -
Pressed steel latch and stainless steel spring, bolt and nut.



Part Number	Inside Diam. Eye, Inches	Throat Opening Inches	Length Overall, Inches	Safe Working Load, Lbs.	Our Sequence Number	Pkg. Qty.	Price Per Piece
GRADE 43 Forged Steel Heat Treated Galvanized							
7/16	3/4	3/4	3-15/16	750	115648	2	\$26.22
9/16	1-1/8	1-3/16	4-3/4	1,000	115712	2	15.05

SLIP HOOK with LATCH - GRADE 43 Zinc - NOT FOR LIFTING



Size, Ins. & Part Number	Working Load Limits, Lbs.	Our Sequence Number	Pkg. Qty.	Price Per Piece
BAUM ZINC				
3/8 SLIP/LATCH	5,400	182728	5	\$19.51

EYE & SWIVEL SAFETY HOOKS - Alloy Steel, Heat Treated,

No. 1010-A Fits Safety Latch. SWL Safe Working Load in Tons is Stamped into these hooks. Conforms to OSHA.




Capacity & Part Number	Width Between Jaws Inches	Size	Length Overall Inches	Our Sequence Number	Pkg. Qty.	Price Per Piece
EYE HOOKS						
1 TON	1	22	4-17/32	117568	1	\$14.42
2 TON	1-1/8	24	5-9/16	117696	1
3 TON	1-1/4	25	6-9/32	117770	1	50.54
4-1/2 TON	1-17/32	27	7-25/32	117824	1	38.85



Capacity & Part Number	Width Between Jaws Inches	Size	Length Overall Inches	Our Sequence Number	Pkg. Qty.	Price Per Piece
SWIVEL HOOKS						
1 TON	1	2	5-1/2	118060	1	\$68.19
2 TON	1-1/8	4	7-1/8	118144	1	136.82

GALVANIZED ROPE HOOKS - Made of steel.

For welding or bolting to body. Plain finish. Length overall 3-1/4 inches; width base 5/8 inch; diameter hook 3/8 inch; maximum size rope 5/8 inch; bolt holes 1/4 inch.




Part Number	Wt. Lbs.	Our Sequence Number	Pkg. Qty.	Price Per Piece
383-G	1/8	-----	10	\$....

While Supplies Last!

HOOK SAFETY LATCH ASSEMBLIES -

Safety Latch Kits shipped unassembled, individually packaged with instructions. Alloy Steel Heat Treated.

Capacity & Part Number	Fits Hook Size	Our Sequence Number	Pkg. Qty.	Price Per Piece
1 TON	2 & 22	118464	2	\$7.15
1-1/2 TON	3 & 23	118480	2	9.51
2 TON	4 & 24	118528	2	13.38
3 TON	5 & 25	118530	2	8.69
4-1/2 TON	7 & 27	118592	2	16.23
7 TON	29	118656	2	32.20



Fits No. 1010-A & 1013-A Hooks.

ASK FOR QUANTITY DISCOUNT Prices subject to change without notice.


BAUM HYDRAULICS CORPORATION

1-800-228-9222 / e-mail: sales@baumhydraulics.com
Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

LOAD BINDERS & CHAINS

D3


FORGED ALLOY STEEL LOAD BINDERS - LEVER TYPE



Part Number	Chain Size Inch	Chain Rating Size/Grade	Work Load Limit Lbs.	Finish	Price Per Piece
8592-104-14	1/4	1/4 G7	3,150	Red Paint	\$39.05
8592-106-14	5/16	5/16 G7 - 3/8 G4	5,400	Red Paint	\$58.70
8592-108-14	3/8	3/8 G7 - 1/2 G4	9,200	Red Paint	\$56.17

FORGED ALLOY STEEL LOAD BINDERS - RATCHET TYPE

A ratchet type binder with continuous take-up and infinite adjustment to the last half link of chain. Easy operating, foolproof, positive ratchet provides complete safety in binding and releasing. No handle extension necessary to bind load tight. One piece assemble without bolts and nuts. Ten inch Barrel Length. All load bearing parts drop forged. Alloy steel hooks.




Part Number	Chain Size Inch	Chain Rating Size/Grade	Work Load Limit Lbs.	Finish	Price Per Piece
8592-234-14	1/4	1/4 G7	3,150	Red Paint	\$45.85
8592-236-14	5/16	5/16 G7 - 3/8 G4	5,400	Red Paint	\$86.87
8592-238-14	3/8	3/8 G7 - 1/2 G4	9,200	Red Paint	\$96.79
8592-241-14	1/2	1/2 G7 - 5/8 G4	13,000	Red Paint	\$129.29

TRANSPORT CHAIN -

CALL FOR QUOTE FOR SHORTER LENGTH CUT.

CUTTING CHARGE: 1st cut FREE,
All Others-Alloy Chain, \$5.00.
Other Chain, \$2.00 per cut.



Size Chain Inches	Actual Size Inches	Ft. Per Half Tube	Our Sequence Number	Half Tube Price Per 100 Foot	Approx. Wt. Per 100 Ft. Lbs.	Wt. Per Half Tube Ft. Lbs.	Approx. Links Per Foot	Working Load Limit, Lbs.	Min. Proof Test, Lbs.
TRANSPORT STEEL COIL CHAIN GRADE 70 B1022 HEAT TREATED									
1/4	9/32	400	181596	\$1.30	72	286	11-1/2	3,150	6,300
5/16	11/32	275	181597	2.43	101	281	10	4,700	9,400
3/8	13/32	200	181598	4.02	151	302	9	6,600	13,200
1/2	17/32	100	181599	15.13	271	271	8-1/4	11,300	22,600
ALLOY STEEL COIL CHAIN GRADE 100 HEAT TREATED -Less than Standard Length									
1/4	9/32	400	195502	2.05	74	296	14-1/2	4,100	8,200
3/8*	13/32	328	195512	3.46	147	735	10-1/4	7,300	14,600
1/2	17/32	200	195516	9.39	247	741	7-1/2	13,000	26,000
5/8	21/32	150	195520	Call	373	746	6	20,300	40,600

Prices subject to change without notice. **ASK FOR QUANTITY DISCOUNT**

1-800-228-9222 / e-mail: sales@baumhydraulics.com
Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

BAUM HYDRAULICS CORPORATION

HOOKS, CHAINS & CHAIN FITTINGS

**TRANSPORT CHAIN
GRADE 70 LOAD
BINDING CHAINS
with CLEVIS GRAB
HOOK ON EACH END.**



**GRADE 70 MEETS
THE NEW D.O.T.
SPECIFICATIONS.**

**NOT FOR
OVERHEAD LIFTING.**

Working Size x Length	Load Limit Lbs.	Our Sequence Number	Price Per Piece
5/16 x 16	4,700	182601	98.53
5/16 x 20	4,700	182602	92.20
3/8 x 16	6,600	182605	128.13
3/8 x 20	6,600	182606	110.74

TOW CHAINS & LOG CHAINS -

These are made up of Transport or Alloy Steel Chain with Clevis Grab Hook or Clevis Slip Hook, whatever you prefer. **NO CUTTING CHARGE**, as these are made up of our short lengths of chain. You pay for only the chain and hooks. Write up order for approximate length you need and we will come as close as possible to that length. Order the clevis hooks you want separately. Please state whether you prefer the sub to be shorter or longer if we do not have the exact length.

CALL FOR LENGTHS AVAILABLE AND PRICE.



HIGH-TEST, TRANSPORT, and PROOF COIL CHAIN, IN "SNAP-TOP" CHAIN PAIL -

Straight link coil chain packed in individual containers of heavy plastic watertight construction and equipped with heavy carrying handles. Attractively labeled for display purposes with size of chain, weight and approximate footage indicated on each label. Chain is held firmly in container. A slight pull feeds out the required amount.



*The Smart Way of Merchandising
Coil Chain in Attractive Durable
Reusable Containers*

Size Chain Inches	Approx. Feet Per Pack	Approx. Gross Wt. Lbs.	Working Load Limit, Lbs.	Our Sequence Number	Per Foot	Size Chain Inches	Approx. Feet Per Pack	Approx. Gross Wt. Lbs.	Working Load Limit, Lbs.	Our Sequence Number	Per Foot
HIGH-TEST CHAIN SELF-COLORED GRADE 43						TRANSPORT CHAIN DOT GRADE 70					
1/4	135	--	2,600	181130	\$4.20	1/4	135	52	2,600	181620	\$6.01
5/16	90	--	3,900	181132	5.32	5/16	90	51	3,900	181622	7.58
3/8	63	--	5,400	181134	7.18	3/8	63	65	5,400	181624	9.94
1/2	25	68	9,200	181136	13.89	1/2	25	68	9,200	181626	18.30
PROOF COIL CHAIN SELF-COLORED GRADE 30						PROOF COIL CHAIN GALVANIZED GRADE 30					
3/16	250	--	---	---	3/16	250	--	---	180935	2.94
1/4	141	--	---	180692	3.14	1/4	141	--	---	---
5/16	92	--	---	---	5/16	92	--	---	180939	5.26
3/8	63	--	---	---	3/8	63	--	---	180941	5.96

ASK FOR QUANTITY DISCOUNT Prices subject to change without notice.

HOOKS & ACCESSORIES

CLEVIS SLIP HOOKS - Stronger than Ordinary Hooks, Drop Forged & Heat Treated.



Easily attached to any welded chain with pin and cotter. Attached to any welded link chain without any connecting fitting. Easily removed. Forged from high grade steel & heat treated.

Size, Ins. & Part Number	Width Between Jaws, Inches	Length Overall Inches	Max. Load, Lbs.	Our Sequence Number	Pkg. Qty.	Price Per Piece
--------------------------	----------------------------	-----------------------	-----------------	---------------------	-----------	-----------------

GRADE 43 Carbon Steel Heat Treated CLEVIS SLIP HOOKS

BAUM ZINC

1/4 CLEVIS SLIP	1/2	4	2,600	-----	5	\$....
5/16 CLEVIS SLIP	5/8	4-5/8	3,900	182722	5	10.46
3/8 CLEVIS SLIP	11/16	5-3/32	5,400	-----	5
1/2 CLEVIS SLIP	13/16	6-9/16	9,200	182726	2	35.81
1/2 CLEVIS SLIP W/L				182711	1	28.48

GRADE 63 Alloy Steel Heat Treated CLEVIS SLIP HOOKS

MIDLAND BLACK

1/4 CLEVIS SLIP	15/16	4	3,250	-----	5
5/16 CLEVIS SLIP	1-1/16	4-3/8	5,000	-----	5
3/8 CLEVIS SLIP	1-5/16	5-3/16	6,600	-----	5
1/2 CLEVIS SLIP	1-11/16	6-9/16	11,250	-----	2
5/8 CLEVIS SLIP	2	7-15/16	16,500	-----	2

CLEVIS GRAB HOOKS - Stronger than Ordinary Hooks, Drop Forged & Heat Treated. Easily attached to any welded chain



with pin and cotter. No hammering, welding or connecting link necessary. Forged housing protects pin and covers short cotter. May be easily removed without cutting link. Forged from high grade steel and heat treated.

Size, Ins. & Part Number	Width Between Jaws, Inches	Length Overall Inches	Max. Load, Lbs.	Our Sequence Number	Pkg. Qty.	Price Per Piece
--------------------------	----------------------------	-----------------------	-----------------	---------------------	-----------	-----------------

GRADE 43 Carbon Steel Heat Treated CLEVIS GRAB HOOKS

MIDLAND BLACK:

1/4 CLEVIS GRAB	1/2	3-3/8	2,600	-----	5	\$....
5/16 CLEVIS GRAB	9/16	3-7/8	4,000	-----	5
3/8 CLEVIS GRAB	11/16	4-5/8	5,400	121856	5
1/2 CLEVIS GRAB	13/16	5-21/32	9,200	121984	2
5/8 CLEVIS GRAB	13/16	6-13/16	11,500	-----	2

BAUM BLACK:

1/4 CLEVIS GRAB	1/2	3-3/8	2,600	182706	5	6.00
5/16 CLEVIS GRAB	9/16	3-7/8	3,900	182708	5	8.59
3/8 CLEVIS GRAB	11/16	4-5/8	5,400	182710	5	10.50
1/2 CLEVIS GRAB	13/16	5-21/32	9,200	182712	2	15.83

BAUM ZINC:

1/4 CLEVIS GRAB	1/2	3-3/8	2,600	182714	5	6.34
5/16 CLEVIS GRAB	9/16	3-7/8	3,900	182716	5	9.37
3/8 CLEVIS GRAB	11/16	4-5/8	5,400	182717	5	11.73
1/2 CLEVIS GRAB	13/16	5-21/32	9,200	182718	2	30.09

GRADE 70 Transport Steel Heat Treated CLEVIS GRAB HOOKS

MIDLAND BLACK:

5/16 CLEVIS GRAB	9/16	3-7/8	4,700	-----	5
3/8 CLEVIS GRAB	11/16	4-5/8	7,100	-----	5

GRADE 80 Alloy Steel Heat Treated CLEVIS GRAB HOOKS

MIDLAND BLACK:

1/4 CLEVIS GRAB	3/8	3-3/16	3,250	127104	5
5/16 CLEVIS GRAB	7/16	3-13/16	5,000	-----	5
3/8 CLEVIS GRAB	1/2	4-3/8	6,600	127232	5
7/16 CLEVIS GRAB	9/16	4-15/16	8,750	-----	5
1/2 CLEVIS GRAB	11/16	5-11/16	11,250	-----	2
5/8 CLEVIS GRAB	13/16	7-1/16	16,500	-----	2

Prices subject to change without notice. **ASK FOR QUANTITY DISCOUNT**

1-800-228-9222 / e-mail: sales@baumhydraulics.com

Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

BAUM HYDRAULICS CORPORATION

CHAIN LINKS, SWIVELS, & RINGS

CHAIN CONNECTING LINKS - DOUBLE CLEVIS -

Plated, Grade 43, Double Clevis Conn Link Heat Treated.

For quick, on the job repairs of Proof Coil, BBB and Hi-Test chain. Used for connecting log chains or attaching chain hooks, rings, swivels and fittings. Hot forged, heat treated and tempered. Heat treated pins.




Part Number	For Chain Inches	Max. Working Load Lbs.	Our Sequence Number	Pkg. Qty.	Price Per Piece
ZINC					
5/16 DBL CLEVIS	5/16	4,700	126080	5	\$7.77
3/8 DBL CLEVIS	3/8	6,600	126144	5	7.91
1/2 DBL CLEVIS	1/2	11,300	126208	2	17.14
5/8 DBL CLEVIS	5/8	18,000	-----	2
BAUM ZINC					
1/4 & 5/16 DBL CLEVIS	1/4 & 5/16	4,700	182700	5	25.05
3/8 DBL CLEVIS	3/8	6,600	182702	5	29.41
7/16 & 1/2 DBL CLEVIS	7/16 & 1/2	11,300	182704	2	68.55

QUICK - ALLOY COUPLING LINKS

For Hooking Alloy Hooks to Chain.

Safe Working Load
Limit In Pounds:
3/8 - 7,100 Lbs.
1/2 - 12,000 Lbs.
5/8 - 18,100 Lbs.



Fits Chain Size Inches	Inside Length Inches	Inside Width Inches	Our Sequence Number	Pkg. Qty.	Price Per Piece
1/2	3-3/8	1-1/32	117440	1

QUICK LINKS - Grade 30 Plated. For Permanent or Temporary Connections.

Tensile strength of Proof Coil Chain



Part Number	Chain Size	Working Load Limits, Lbs.	Our Sequence Number	Pkg. Qty.	Price Per Piece
Q-3/16	3/16	750	182742	10	\$2.81
Q-1/4	1/4	1250	182744	10	3.42
Q-5/16	5/16	1875	182746	10	4.83
Q-3/8	3/8	2625	182748	10	5.89
Q-1/2	1/2	4500	182750	5	10.50

COLD SHUTS - BAUM ZINC -

Plated, Grade 30, Mild Steel. Standard pattern. Drop forged of the finest mild steel with plain ends. For a better temporary repair job we recommend repair links one size larger than chain whenever possible.



For Chain Inches	Weight Lbs.	Pkg. Qty.	Our Sequence Number	Price Per Piece
3/16 SHUTS	1/50	10	182730	\$2.32
1/4 SHUTS	1/20	10	182732	4.34
5/16 SHUTS	1/10	10	182734
3/8 SHUTS	1/8	10	182736	4.28
7/16 SHUTS	1/3	10	182738	3.28
1/2 SHUTS	1/3	10	182740

CLEVIS JAW END FORGED SWIVELS - Grade 43 Plated.

Forged Steel, Heat Treated.




For Chain Size, Inches	Inside Length Closed Eye Inches	Inside Diam. Clevis Eye Inches	Our Sequence Number	Pkg. Qty.	Price Per Piece
1/4	11/16	15/32	-----	1	\$....
5/16	13/16	1/2	114880	1	38.66
3/8	15/16	5/8	114944	1	55.60
1/2	1-5/16	3/4	-----	1

LAP LINKS - BRIGHT -

Grade 30, Mild Steel.



SOLID TYPE FORGED SWIVELS - Grade 43 Forged Steel.



For Chain Size, Inches	Inside Length Closed Eye Inches	Inside Diam. Clevis Eye Inches	Our Sequence Number	Pkg. Qty.	Price Per Piece
1/4	11/16	3/4	115020	1	\$19.52
5/16	13/16	1	115022	1	18.69
3/8	15/16	1-1/4	115024	1	41.19
1/2	1-5/16	1-1/2	115026	1	----

Diam. Inches	Length, Inches	Width, Inches	Wt. Lbs.	Pkg. Qty.	Our Sequence Number	Price Per Piece
1/4	1-1/4	1/2	1/15	10	181632	\$116.07
5/16	1-1/2	3/4	1/7	10	181696	205.03
3/8	1-5/8	7/8	1/4	10	181750	766.48
1/2	2-1/2	1	1/2	10	181824	498.29

PAD EYES - Forged Steel Heat Treated.

For Welding onto Farm Machinery, Trucks and Construction Equipment.



Pad Eye Number	Inside Diam. Eye Inches	Outside Diam. Eye Inches	Overall Height Inches	Wt. Lbs. Per 100 Pieces	Our Sequence Number	Pkg. Qty.	Price Per Piece
2	3/4	1-1/2	1-5/8	16-3/4	117988	5	6.55
4	1	2-1/8	2-3/8	50	117997	5	14.82
5	1-1/4	2-5/8	2-3/4	85	118006	5

ASK FOR QUANTITY DISCOUNT Prices subject to change without notice.